

MOTORENFABRIK HATZ GMBH & CO. KG

EXECUTIVE ORDER U-R-034-0016 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2002	2HZXL.667C81	0.7	Diesel	3000		
SPECIAL	FEATURES & EMISSION	· · · · · · · · · · · · · · · · · · ·	TYPICAL EQUIPMENT APPLICATION			
	Direct Diesel Injec	ction	Pump, Compressor, Generator			

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION STANDARD CATEGORY			Ε	EXHAUST (g/kw-h	OPACITY (%)				
POWER CLASS			нс	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
8 <u><</u> KW < 19	Tier 1	STD	N/A	N/A	9.5	6.6	0.80	N/A	N/A	N/A
		CERT			6.1	3.7	0.43			

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

_ day of January 2002.

R. B. Summerfield, Chief

Mobile Source Operations Division

Page: 9

Model Year: Manufacturer:

Engine Family:

X

2002

2HZXL.667C81

attachment 1082 Motorenfabrik Hatz GmbH & Co. KG

10/26/2001

Revised: E.O. Number: TOTI U-R-034-0016

Small Off-Road Engine Model Summary Form

Units for Table: kw

rst e?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/ Stroke	51. Ignition Timing	52. Max Power (K	53. Rated Speed (RPM) ມ)	54. Rated Torque	55. Torque Speed (RPM)	56. Emiss Control Sys
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.7 //,		21.6	3600	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.7	3550	21.9	3550	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.7	3500	22.2	3500	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.7	3450	22.5	3450	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.7	3400	22.9	3400	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.7	3350	23.2	3350	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.7	3300	23.6	3300	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.7	3250	23.9	3250	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.7	3200	24.3	3200	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.7	3150	24.7	3150	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.7	3100	25.1	3100	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.7	3050	25.5	3050	DDI
	Additional	engine model	info.	please	see	record 2!				
				- ·		Unit in [hp	1			

Model Year: Manufacturer: Engine Family:

attachment 2002

Issued:

Revised:

3/1/2001

E.O. Number: EO # U-R-034-0016

Page: 9

Small Off-Road Engine Model Summary Form

Units for Table:

	47.	48.	49.	50.	51.	52.	53.	54.	55.	56.
/orst ase?	Model Designation	Sales Code	Displ (cc)	Bore/ Stroke	lgnition Timing	Max I Power	Rated Speed (RPM)	Rated Torque	Torque Speed (RPM)	Emiss Control Sys
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.1 10,		20.6	3600	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.1	3550	20.9	3550	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.1	3500	21.1	3500	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.1	3450	21.5	3450	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.1	3400	21.8	3400	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.1	3350	22.1	3350	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.1	3300	22.5	3300	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.1	3250	22.8	3250	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.1	3200	23.2	3200	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.1	3150	23.6	3150	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.1	3100	23.9	3100	DDI
	1D81S/Z/T/U	Calif. Only	667	100/85	15	14.1	3050	24.3	3050	DDI

52. = [hp]